









ROI Images



- 0. Normal
- 1. Benign
- 2. ADH
- 3. Low-DCIS
- 4. IMG-DCIS
- 5. HG-DCIS
- 6. IMG-IDC
- 7. HG-IDC



Normal





All Scale Bars are
50 μ m










Normal

All Scale Bars are
50 μ m








Benign

All Scale Bars are
50 μ m








Benign

All Scale Bars are
50 μ m








Benign




All Scale Bars are
50 μ m



Benign




All Scale Bars are
50 μ m







Benign



All Scale Bars are
50 μ m







Benign






All Scale Bars are
50 μ m



Benign





All Scale Bars are
50 μ m







ADH

All Scale Bars are
50 μ m













Low Grade DCIS

All Scale Bars are
50 μ m

Intermediate
Grade DCIS



All Scale Bars are
50 μ m








High Grade
DCIS



All Scale Bars are
50 μ m








High Grade
DCIS




All Scale Bars are
50 μ m









High Grade
DCIS

All Scale Bars are
50 μ m








High Grade
DCIS

All Scale Bars are
50 μ m






IDC

All Scale Bars are
50 μ m







IDC

All Scale Bars are
50 μ m



IDC

All Scale Bars are
50 μ m



IDC

All Scale Bars are
50 μ m

