

Materials Design Analysis Reporting (MDAR) Checklist for Authors

The [MDAR framework](#) establishes a minimum set of requirements in transparent reporting mainly applicable to studies in the life sciences.

eLife asks authors to **provide detailed information within their article** to facilitate the interpretation and replication of their work. Authors can also upload supporting materials to comply with relevant reporting guidelines for health-related research (see [EQUATOR Network](#)), life science research (see the [BioSharing Information Resource](#)), or animal research (see the [ARRIVE Guidelines](#) and the [STRANGE Framework](#); for details, see *eLife*'s [Journal Policies](#)). Where applicable, authors should refer to any relevant reporting standards materials in this form.

For all that apply, please note **where in the article** the information is provided. Please note that we also collect information about data availability and ethics in the submission form.

Materials:

Newly created materials	Indicate where provided: section/figure legend	N/A
The manuscript includes a dedicated "materials availability statement" providing transparent disclosure about availability of newly created materials including details on how materials can be accessed and describing any restrictions on access.		√

Antibodies	Indicate where provided: section/figure legend	N/A
For commercial reagents, provide supplier name, catalogue number and RRID , if available.	The supplier name and catalogue number of commercial reagents and antibodies were provided in the section of Key resources table	

DNA and RNA sequences	Indicate where provided: section/figure legend	N/A
Short novel DNA or RNA including primers, probes: Sequences should be included or deposited in a public repository.	The sh-RNA, miRNA and mRNA sequence was provide in the section of Transfection and Reverse transcription - quantitative polymerase chain reaction (RT-qPCR)	

Cell materials	Indicate where provided: section/figure legend	N/A

Cell lines: Provide species information, strain. Provide accession number in repository OR supplier name, catalog number, clone number, OR RRID.	The strain of the cell lines used in this article was provided in the section of Breast cancer cells and culture	
Primary cultures: Provide species, strain, sex of origin, genetic modification status.		√

Experimental animals	Indicate where provided: section/figure legend	N/A
Laboratory animals or Model organisms: Provide species, strain, sex, age, genetic modification status. Provide accession number in repository OR supplier name, catalog number, clone number, OR RRID.	The species, strain, sex and age of the animals used in this article was provided in the section of In-vivo animal experiments.	
Animal observed in or captured from the field: Provide species, sex, and age where possible.		√

Plants and microbes	Indicate where provided: section/figure legend	N/A
Plants: provide species and strain, ecotype and cultivar where relevant, unique accession number if available, and source (including location for collected wild specimens).		√
Microbes: provide species and strain, unique accession number if available, and source.		√

Human research participants	Indicate where provided: section/figure legend) or state if these demographics were not collected	N/A
If collected and within the bounds of privacy constraints report on age, sex, gender and ethnicity for all study participants.	The demographic characteristics of the clinical patients collected in this article was provided in Table 1 and 2.	

Design:

Study protocol	Indicate where provided: section/figure legend	N/A
If the study protocol has been pre-registered, provide DOI. For clinical trials, provide the trial registration number OR cite DOI.		√

Laboratory protocol	Indicate where provided: section/figure legend	N/A
Provide DOI OR other citation details if detailed step-by-step protocols are available.		✓

Experimental study design (statistics details) *		
For in vivo studies: State whether and how the following have been done	Indicate where provided: section/figure legend. If it could have been done, but was not, write "not done"	N/A
Sample size determination	No statistical methods were used to pre-determine sample sizes and the sample sizes in the study were chosen based on experience from previous in house studies and to balance between the ability to detect significance differences while reducing the number of animals used.	
Randomisation	In the In-vivo animal experiments, each mice was assigned a random number using Excel. Then the number of the mice was sorted from big to small. After that, mice were assigned to different groups according to the numerical value of their number.	
Blinding	For most parts, investigators were not blinded during data collection or analysis because planning, execution, and analysis of the studies was performed by the same personnel.	
Inclusion/exclusion criteria		✓

Sample definition and in-laboratory replication	Indicate where provided: section/figure legend	N/A
State number of times the experiment was replicated in the laboratory.	All experiments except the animal experiments in this article were performed in three replications. Replicates were reproducible.	
Define whether data describe technical or biological replicates.	The mean \pm SD of the statistical data described biological replicates.	

Ethics	Indicate where provided: section/submission form	N/A
Studies involving human participants: State details of authority granting ethics approval (IRB or equivalent committee(s), provide reference number for approval.		✓
Studies involving experimental animals: State details of authority granting ethics approval (IRB or equivalent committee(s), provide reference number for approval.	The animals specimens were collected under the approval of the Ethics Committee of Shengjing Hospital of China Medical University. Ethics number:2024PS156K, the pdf of this document was provided as the animal ethics statement.	
Studies involving specimen and field samples: State if relevant permits obtained, provide details of authority approving study; if none were required, explain why.	The clinical specimens were collected under the approval of the Ethics Committee of Shengjing Hospital of China Medical University. Ethics number: 2024PS171K, the pdf of this document was provided as the specimen ethics statement.	

Dual Use Research of Concern (DURC)	Indicate where provided: section/submission form	N/A
If study is subject to dual use research of concern regulations, state the authority granting approval and reference number for the regulatory approval.		✓

Analysis:

Attrition	Indicate where provided: section/figure legend	N/A
Describe whether exclusion criteria were pre-established. Report if sample or data points were omitted from analysis. If yes, report if this was due to attrition or intentional exclusion and provide justification.		✓

Statistics	Indicate where provided: section/figure legend	N/A
Describe statistical tests used and justify choice of tests.	The statistical tests and justify choice of tests were provided in the section of Statistical analysis.	

Data availability	Indicate where provided: section/submission form	N/A
For newly created and reused datasets, the manuscript includes a data availability statement that provides details for access (or notes restrictions on access).		✓
When newly created datasets are publicly available, provide accession number in repository OR DOI and licensing details where available.		✓
If reused data is publicly available provide accession number in repository OR DOI, OR URL, OR citation.		✓

Code availability	Indicate where provided: section/figure legend	N/A
For any computer code/software/mathematical algorithms essential for replicating the main findings of the study, whether newly generated or re-used, the manuscript includes a data availability statement that provides details for access or notes restrictions.		✓
Where newly generated code is publicly available, provide accession number in repository, OR DOI OR URL and licensing details where available. State any restrictions on code availability or accessibility.		✓
If reused code is publicly available provide accession number in repository OR DOI OR URL, OR citation.		✓

Reporting:

The MDAR framework recommends adoption of discipline-specific guidelines, established and endorsed through community initiatives.

Adherence to community standards	Indicate where provided: section/figure legend	N/A
State if relevant guidelines (e.g., ICMJE, MIBBI, ARRIVE, STRANGE) have been followed, and whether a checklist (e.g., CONSORT, PRISMA, ARRIVE) is provided with the manuscript.	The ICMJE forms of all authors were provided as a Related Manuscript file. ARRIVE guidelines were followed and the ARRIVE checklist was provided alongside the manuscript.	

* We provide the following guidance regarding transparent reporting and statistics; we also refer authors to

Ten common statistical mistakes to watch out for when writing or reviewing a manuscript.

Sample-size estimation

- You should state whether an appropriate sample size was computed when the study was being designed
- You should state the statistical method of sample size computation and any required assumptions
- If no explicit power analysis was used, you should describe how you decided what sample (replicate) size (number) to use

Replicates

- You should report how often each experiment was performed
- You should include a definition of biological versus technical replication
- The data obtained should be provided and sufficient information should be provided to indicate the number of independent biological and/or technical replicates
- If you encountered any outliers, you should describe how these were handled
- Criteria for exclusion/inclusion of data should be clearly stated
- High-throughput sequence data should be uploaded before submission, with a private link for reviewers provided (these are available from both GEO and ArrayExpress)

Statistical reporting

- Statistical analysis methods should be described and justified
- Raw data should be presented in figures whenever informative to do so (typically when N per group is less than 10)
- For each experiment, you should identify the statistical tests used, exact values of N, definitions of center, methods of multiple test correction, and dispersion and precision measures (e.g., mean, median, SD, SEM, confidence intervals; and, for the major substantive results, a measure of effect size (e.g., Pearson's r , Cohen's d))
- Report exact p-values wherever possible alongside the summary statistics and 95% confidence intervals. These should be reported for all key questions and not only when the p-value is less than 0.05.

Group allocation

- Indicate how samples were allocated into experimental groups (in the case of clinical studies, please specify allocation to treatment method); if randomization was used, please also state if restricted randomization was applied
- Indicate if masking was used during group allocation, data collection and/or data analysis