

Table 1. Validation of mPSC frequency. See Figure 2E2.

Pre	Post	<i>in vitro</i> (Hz)	<i>in silico</i> (Hz)	Reference
E	L23_PC	8.20±2.90	9.36±4.38	<i>Brasier and Feldman (2008)</i>
E	L4_PC	11.90±2.40	15.64±7.84	<i>Brasier and Feldman (2008)</i>
E	L6_CC	2.80±0.80	3.87±2.14	<i>Yang et al. (2020)</i>
E	L6_CT	0.95±0.36	1.41±0.74	<i>Yang et al. (2020)</i>
I	L5_PC	21.10±4.80	16.06±6.74	<i>Ling and Benardo (1999)</i>
Cortico-cortical mtypes: L6_UPC, L6_IPC, L6_HPC.				
Cortico-thalamic mtypes: L6_TPC:A, L6_TPC:C.				

References

- 1 **Brasier DJ**, Feldman DE. Synapse-specific expression of functional presynaptic NMDA receptors in rat so-
2 matosensory cortex. *Journal of Neuroscience*. 2008; 28(9):2199–2211. doi: [10.1523/JNEUROSCI.3915-](https://doi.org/10.1523/JNEUROSCI.3915-07.2008)
3 [07.2008](https://doi.org/10.1523/JNEUROSCI.3915-07.2008).
4
- 5 **Ling DSF**, Benardo LS. Restrictions on inhibitory circuits contribute to limited recruitment of fast in-
6 hibition in rat neocortical pyramidal cells. *Journal of Neurophysiology*. 1999; 82(4):1793–1807. doi:
7 [10.1152/jn.1999.82.4.1793](https://doi.org/10.1152/jn.1999.82.4.1793).
- 8 **Yang D**, Günter R, Qi G, Radnikow G, Feldmeyer D. Muscarinic and Nicotinic Modulation of Neocortical Layer
9 6A Synaptic Microcircuits Is Cooperative and Cell-Specific. *Cerebral Cortex*. 2020; 30(6):3528–3542. doi:
10 [10.1093/cercor/bhz324](https://doi.org/10.1093/cercor/bhz324).